

ശുദ്ധജലം ശുദ്ധമായിത്തന്നെ  
ലഭിക്കുവാൻ...

Dedicated to quality



ISO 9001:2015 CERTIFIED



An ISO Certified Company

eco  
FRIENDLY

Go Green

We, 'Goodwill Group' strongly believe that 'Safety of drinking water is a basic human right'. Billions of people in the world are at risk of unsafe water. Being a responsible manufacturer of related products, we introduced 'Goodwill' Water Storage Tanks in 2013 to comply with our Mission - to reach water, the special gift of nature and vital element for existence of life, in its purest form to millions of people. Exceptional standards and systems for manufacturing built by the Company over the decades coupled with its uncompromising ethical values and social commitments helped the brand 'Goodwill' to grow and establish itself in a leading position in water storage systems and to diversify into manufacturing of superior products being used in septic and drainage applications.

- Made out of 100% virgin material, 'Goodwill Water Storage Tanks' possess superior strength that attributes to its high Environmental Stress, Crack Resistance and high load bearing capacity.
- State of the art technology in processing and manufacturing guarantees high resistance to UV effect, varying weather and to all other adverse conditions which ensures quality of the water stored.
- FDA approved, food grade, 100% virgin material and high resistance to corrosion assures safety of stored drinking water.
- Easy maintenance and eco friendly.
- Aesthetic design and best finish that adds style to all the houses.
- Available in various capacities at affordable prices.



Quality in Product  
Quality in Service  
Quality in Approach



**Safety** - Assures your family's health through FDA approved Virgin materials  
**Strength** - Achieved by virgin raw material, proven technology and unique design  
**Style** - Caters to your aesthetic sense and adds value to your dream homes

in a range of sizes & affordable prices, suiting everyone's requirements





# Goodwill PREMIUM WATER TANK

## OVERALL DIMENSIONS OF THE TANK\*

Capacity (Ltrs.)	Height* (mm)	Diameter* (mm)	Manhole Dia (mm)
310	845	730	285
400	800	860	425
500	970	890	425
750	1150	990	425
1000	1260	1090	425
1500	1450	1250	425
2000	1580	1380	425
3000	1840	1570	425
5000	2080	1880	490

Available in : 4 Layer White, 3 Layer White  
2 Layer Black, 2 Layer Blue



## Goodwill PREMIUM 4 LAYER WHITE WATER TANK

AVAILABLE SIZES (Ltrs)  
4 Layer - 500, 750, 1000



## Goodwill PREMIUM CAPSULE TANK

### OVERALL DIMENSIONS OF THE CAPSULE TANK

Length	1600 mm
Width	970 mm
Height	1100 mm
Manhole	450 mm

AVAILABLE SIZES - 1000 Ltr. (4 Layer / 3 Layer)



## Goodwill PREMIUM LOFT TANK

### OVERALL DIMENSIONS OF THE LOFT TANK

Capacity	Length	Breadth	Height	Colour	Manhole Diameter
500 Ltr.	1450 mm	1000 mm	500 mm	White	285 mm
750 Ltr.	1560 mm	980 mm	600 mm	White	425 mm
1000 Ltr.	1725 mm	1150 mm	640 mm	White	425 mm

AVAILABLE SIZES (Ltrs) - 500, 750, 1000



# Goodwill PREMIUM SEPTIC TANK



## OVERALL DIMENSIONS OF THE SEPTIC TANK

Models	Type A	Type B	Type C	Type D	Type E
Capacity (Flushing / Day)	10-15	20 -25	30-35	40-45	55-65
Diameter*	610 mm	620 mm	850 mm	1030 mm	1130 mm
Colour	Terracotta	Terracotta	Terracotta	Terracotta	Terracotta
Length*	1590 mm	2400 mm	2550 mm	2400 mm	2550 mm
Thickness	9 mm	10 mm	10 mm	11 mm	12 mm
Capacity in Litres*	400 Ltr.	700 Ltr.	1100 Ltr.	1600 Ltr.	2500 Ltr.
No. of Chambers	3	3	3	3	3
No. of Manholes	1	2	2	2	2
Manhole Diameter	450 mm	450 mm	450 mm	450 mm	450 mm
Diameter of Inlet & Outlet Pipes	110 mm	110 mm	110 mm	110 mm	110 mm
Airvent	63 mm	63 mm	63 mm	63 mm	63 mm
Total Height	780 mm	800 mm	1000 mm	1200 mm	1300 mm



\*Technical details are subject to change





## Goodwill PREMIUM 3 LAYER SUMP TANK

### OVERALL DIMENSIONS OF THE SUMP TANK

Capacity	1000 Ltr.	1500 Ltr.	2000 Ltr.
Diameter	1150 mm	1350 mm	1500 mm
Colour	Teracotta	Teracotta	Teracotta
Height	1220 mm	1425 mm	1550 mm
Manhole Extension	110 mm	120 mm	130 mm
Total Height	1330 mm	1500 mm	1740 mm
Manhole Diameter	450 mm	450 mm	450 mm



## Goodwill PREMIUM SOAK PIT

### OVERALL DIMENSIONS OF THE SOAK PIT

Height	80 cm
Diameter	80 cm
Litre	400 Ltrs.






[www.goodwillgroup.co.in](http://www.goodwillgroup.co.in)



PVC PIPE



GARDEN & SUCTION HOSE



ASTM PIPE



CONDUIT PIPES & FITTINGS



PVC PIPE | WATER TANK | SEPTIC TANK | SOAK PIT | CAPSULE TANK | SUMP & LOFT TANK | CONDUIT PIPE | ASTM PIPE | SUCTION HOSE | GARDEN HOSE etc.





Dedicated to quality



ISO CERTIFIED 9001:2015



Plot No. 1A & 1B, Kinfra Park, St. Xaviers College P. O., Thumba, Thiruvananthapuram - 695 586  
 Phone : 0471-2704540, 2706640, 95261 04212, Customer Care : 95625 06081  
 Email : enquiry@goodwillgroup.co.in | www.goodwillgroup.co.in



Visit us